

Supplementary Table S3. Histopathological data and stage according to age

Characteristic	Young (<45, n=51)	Old (≥45, n=138)	p-value
Tumor size (cm)			.998
Mean (95% CI)	2.6 (2.2–3.0)	2.7 (2.3–3.0)	
Depth of invasion (mm)			.190
Mean (95% CI)	11.9 (9.7–14.1)	10.3 (9.1–11.5)	
Histologic grade			.021
Well differentiated	18 (35.3)	71 (51.5)	
Moderately differentiated	21 (41.2)	54 (39.1)	
Poorly differentiated	12 (23.5)	13 (9.4)	
Lymphovascular invasion			.956
Present	12 (23.5)	33 (23.9)	
Absent	39 (76.5)	105 (76.1)	
Perineural invasion			.596
Present	21 (41.2)	51 (37.0)	
Absent	30 (58.8)	87 (63.0)	
Tumor infiltrating lymphocytes			.481
Low	27 (52.9)	81 (58.7)	
Intermediate	17 (33.3)	34 (24.6)	
High	7 (13.7)	23 (16.7)	
T category			.232
T1	6 (11.8)	33 (23.9)	
T2	22 (43.1)	47 (34.1)	
T3	23 (45.1)	57 (41.3)	
T4	0	1 (0.7)	
N category			.490
N0	24 (47.1)	76 (55.1)	
N1	9 (17.6)	21 (15.2)	
N2	9 (17.6)	27 (19.6)	
N3	9 (17.6)	14 (10.1)	

Values are presented as number (%) unless otherwise indicated.
CI, confidence interval.