

Supplementary Table S2. Diagnostic template for cervicovaginal thyroid fine needle aspiration

1. Nondiagnostic or Unsatisfactory

- 1.1 Cyst fluid only
- 1.2 Virtually acellular specimen
- 1.3 Other (obscuring blood, clotting artifact, etc.)

2. Benign

- 2.1 Consistent with a benign follicular nodule
- 2.2 Consistent with lymphocytic (Hashimoto) thyroiditis
- 2.3 Consistent with granulomatous (subacute) thyroiditis
- 2.4 Other

3. Atypia of undetermined significance or follicular lesion of undetermined significance

4. Follicular Neoplasm or Suspicious for a follicular neoplasm

- 4.1 Follicular neoplasm, conventional type
- 4.2 Follicular neoplasm, Hurthle cell (oncocytic) type

5. Suspicious for malignancy

- 5.1 Suspicious for papillary carcinoma
- 5.2 Suspicious for medullary carcinoma
- 5.3 Suspicious for metastatic carcinoma
- 5.4 Suspicious for lymphoma
- 5.5 Other

6. Malignant

- 6.1 Papillary carcinoma
 - 6.2 Poorly differentiated carcinoma
 - 6.3 Medullary carcinoma
 - 6.4 Undifferentiated (anaplastic) carcinoma
 - 6.5 Other
-