

Supplementary Table S3. Classification of 773 cases of kidney biopsy according to pathologic diagnostic entities of vascular disease

Vascular disease entity	Total case number	Pathologic diagnosis (number of cases, %)
Arteriosclerosis	445	Arteriosclerosis / Arteriolosclerosis (441, 99.1), Arterial intimal fibrous thickening (4, 0.9)
Arterionephrosclerosis	171	Arterionephrosclerosis (106, 62.0), Hypertensive nephropathy (55, 32.2), Preeclampsia (10, 5.8)
Arterial hyalinosis	105	Arterial hyalinosis (92, 87.6), Arteriolar hyalinosis (13, 12.4)
Thrombotic microangiopathy	32	Thrombotic microangiopathy (26, 81.3), Systemic scleroderma (2, 6.3), Hemolytic uremic syndrome (2, 6.3), Antiphospholipid syndrome nephropathy (1, 3.1), Renal arteriolar thrombosis (1, 3.1)
Vasculitis	15	Microscopic polyangitis (4, 26.7), Necrotizing vasculitis (4, 26.7), Polyarteritis nodosa (2, 13.3), Eosinophilic granulomatosis with polyangiitis (2, 13.3), Lupus vasculitis (1, 6.7), ANCA-associated granulomatous necrotizing vasculitis (1, 6.7), Small vessel vasculitis (1, 6.7)
Other	5	Renal artery stenosis (2, 40.0), Myxoid degeneration of artery (1, 20.0), Vascular proliferation and fibrosis (1, 20.0), Nodular thickening of arterioles (1, 20.0)

ANCA, anti-neutrophil cytoplasmic antibody.